



FOOD SERVICE AND SOLUTION CO., LTD.

บริษัท ฟู้ด เซอร์วิส แอนด์ โซลูชั่น จำกัด



PRODUCT CATALOGUE



fsns.thailand



@foodservice



foodserviceandsolution



fsns@fsns-thailand.com

CONTENTS



ANTI-MICROBIAL HYGIENIC TOOLS



Designed for areas that require exceptionally high standards of cleanliness and due diligence in controlling bacterial contamination. Each component contains Biomaster Antibacterial Technology, which uses a silver-ion base to inhibit bacteria including MRSA, E.coli, Listeria spp and campylobacter. All components are FDA/EU approved.

P. 4



TOTAL MDX HYGIENIC TOOLS

Specifically developed to minimise the risk of foreign object contamination within the food manufacturing industry. Each component is both metal and x-ray detectable, including the filaments and resin used in brushware. The detectability of these products has been independently tested and is not affected by time, moisture, cleaning or abrasion. All components are FDA/EU approved.

P. 5



RESIN-SET DRS BRUSHWARE

The world's most effective reliable method of filament retention. Resin-Set DRS contributes to a longer product life and minimises the risk of filament loss. Food-grade stainless steel staples secure the filaments into a recessed brush back, which is then flooded with an Anti-Microbial epoxy resin to complete the Dual Retention System (DRS). All components are FDA/EU approved.

P. 6



PROFESSIONAL BRUSHWARE

Designed for use in food and beverage industry. Product in professional range available in 5 colours to help eliminate cross-contamination and promote HACCP compliance. All products are withstand upto 134°C (autoclavable and industrial dishwasher safe). All components are FDA/EU approved.

P. 7 - 11

HYGIENIC HANDLE

P. 12

ACCESSORIES

P. 13 - 15

MOP SYSTEM / APRON

P. 16 - 17

MEASURING EQUIPMENTS

P. 18 - 19

OTHER PRODUCTS / INGREDIENTS

P. 20 - 24

CHEMICAL RESISTANCE GUIDE

P. 25

INDEX OF PRODUCTS

P. 26 - 27

FOOD SERVICE AND SOLUTION CO.,LTD.

FOOD SERVICE & SOLUTION CO.,LTD. (FSNS) is an importer and distributor for high quality cleaning tools brand Hill Brush. Hill Brush is UK base company which has been in the industry for more than 90 years. Hill Brush hygienic food grade cleaning tools are manufacture with FDA approved materials under ISO standard. Together with accreditations from reputable organization such as F.E.I.B.P, B.B.M.A, ISSA, and SOFHT, our customer can be assured all Hill Brush products are complying with international standard.

Apart from hygienic food grade cleaning tools FSNS also provide measuring equipments, and other hygiene products for food manufacturing and HORECA business in Thailand.

FSNS offers consulting and training services on food sanitation, in order to help our customers to work properly with the international hygiene standard. We can provide training at a location of your choice, with our experience and certified service team.

Hill Brush - Pioneers of Hygienic Design

Hill Brush (Salmon Hygiene Technology) is an internationally renowned brand, our product development process is focused on the end user to result in high-performance, ergonomic tools that not only support, but also improve the effectiveness of cleaning regimes.

- Various colour available for a fully colour coded, HACCP and 5S compliant solution
- UK manufactured since 1922 under a rigorous quality assurance programme
- Made from FDA/EU approved virgin materials, including rubber squeegee components
- Brushware contains stainless steel staples and does not use flagged fibres
- Injection moulding facility for complete control of product quality and design.




Hill Brush - Biomaster Protected

Protection against the dangers you cannot see. Hill Brush is pioneering Anti-Microbial Brushware by integrated Biomaster Antimicrobial Additive Technology. Biomaster has develop permanent antimicrobial protection to ensures effective antimicrobial protection for the lifetime of the product, helping to keep surfaces clean and hygienic, and reduces the threat of cross-contamination.



Hill Brush - Resin-Set DRS

Hill Brush Resin-Set DRS brushware boasts a revolutionary improvement in brush filament retention known as 'Dual Retention System - DRS'. This unique approach uses both food grade stainless steel staples and anti-microbial resin to secure the turfs to the brush back. This not only prevents the accumulation of dirt and moisture in the tuft holes but also the release of filaments into the food or beverage processing environment.



Hill Brush - Colour Coding

Hill Brush has been developed into a comprehensive collection to ensure the highest standards of cleanliness and hygiene can be maintained.

The use of colour coded cleaning tools within the food industry can help

- Reducing the risk of cross-contamination
- Colour coded products help segregate food types or departments
- Prioritise and control potential hazards
- Internationally recognised
- Used at all stages of food production
- Trading benefits, through improved customer and consumer confidence
- Can be aligned with other management and QA system.

Key to Symbols

	Autoclavable		Stainless Steel Fill		Stainless Steel Body		Diameter
	Trim Length		Polypropylene Body		ABS Body		Machine Washable
	Temperature Tolerance		Nylon Body		Thermoplastic Rubber Body		Weight
	Polyester Fill		Aluminium Body		Polyethylene Body		Non Food Contact



Stiff Nail Brush

Code	Size(mm)
AMNA4	122 x 44

Removing heavy soiling from hands, fingertips.

134° 17 79° -18° PP PBT



Dual Stiffness Double Wing Scrub

Code	Size(mm)
AMST5	210 x 65

Removing medium-large size particles; for toughest jobs. Heavy duty tool.

134° 27-35 79° -18° PP PBT



Stiff Short Handled Brush

Code	Size(mm)
AMD4	254 x 72

For production lines; catering, manufacturing use.

134° 44 79° -18° PP PBT



Soft Banister Brush

Code	Size(mm)
AMB866	322 x 35

This brush is designed for heavy use in highly food sensitive areas.

134° 57 79° -18° PP PBT



Stiff Banister Brush

Code	Size(mm)
AMB867	322 x 35

This brush is designed for heavy use in highly food sensitive areas.

134° 57 79° -18° PP PBT



Stiff Deck Scrub

Code	Size(mm)
AMB770	305 x 75

For heavy soiling; medium areas; production environments.

134° 41 79° -18° PP PBT



Medium Sweeping Broom

Code	Size(mm)
AMB758	305 x 75

For heavy use in high food sensitive areas.

134° 60 79° -18° PP PBT



Ultra-Hygienic Squeegee*

Code	Size(mm)
AMPLSB60	600

Removing excess liquid. High risk areas; smooth surfaces.

134° 57 79° -18° PP TPR



Plastic Hand Scoop

Code	Size(mm)
AMSCOOP4	90 x 170 x 260

Moving ingredients; food preparation areas.

134° 79° -18° PP



Reinforced Polypropylene Handle

Code	Size(mm)
AMPLH3	1400 x 25 Ø

Reinforced threaded end.

134° 79° -18° PP



Wall Bracket System

Code	Size(mm)
AMWLBR1	206 x 75

Stowing Cleaning tools.

134° 79° -18° PP TPR



* We recommend conducting a resistance test before using this product on oily or acidic substance/surfaces, as some may cause an adverse reaction.



RS

Medium Glazing Brush

Code	Size(mm)
GL11	50 x 210

For applying eggs, oil, butter.

134° 50 79° -18° PP PBT



RS

Wide Glazing Brush

Code	Size(mm)
GL31	75 x 220

For applying eggs, oil, butter.

134° 50 79° -18° PP PBT



RS

Stiff Short Handled Brush

Code	Size(mm)
D4RES	254 x 72

For production lines; catering, manufacturing use.

134° 44 79° -18° PP PBT



RS

Stiff Long Handled Brush

Code	Size(mm)
D9RES	406 x 50

For production lines; hard to reach areas; catering, manufacturing use.

134° 40 79° -18° PP PBT



RS

Dual Stiffness Double Wing Scrub

Code	Size(mm)
ST5RES	210 x 65

Removing medium-large size particles; for toughest jobs. Heavy duty tool.

134° 24-37 79° -18° PP PBT



RS

Stiff Curved Back Scrub

Code	Size(mm)
ST7RES	198 x 70

Removing medium-large size particles; cleaning around corners, conveyor belts.

134° 28 79° -18° PP PBT



RS

Stiff Round Scrub

Code	Size(mm)
ST9RES	100 x 115 Ø

For sinks, trays, cutting boards and worktops.

134° 40 79° -18° PP PBT



RS

Medium Guarded Machine Brush

Code	Size(mm)
B1423RES	550 x 20; 120 Ø

For machinery blades. (White back only)

134° 60 79° -18° PP PBT



RS

Stiff Deck Scrub

Code	Size(mm)
B770RES	305 x 75

For very heavy soiling; medium areas; production environments.

134° 41 79° -18° PP PBT



RS

Medium Flat Sweeping Broom

Code	Size(mm)
B849RES	305 x 75

For removing small particles; dry manufacturing area.

134° 56 79° -18° PP PBT



RS

Stiff Banister Brush

Code	Size(mm)
B867RES	322 x 35

For heavy particles, stubborn debris; production line; floor preparation areas.

134° 57 79° -18° PP PBT



RS

Extra Soft Banister Brush

Code	Size(mm)
B868RES	322 x 35

For very light particles, powders; multi-purpose; manufacturing.

134° 57 79° -18° PP PBT



Stainless Steel Niche Brush

Code	Size(mm)
B1240	180 x 10



For production lines; catering, manufacturing use.



Medium Niche Brush

Code	Size(mm)
B1241	180 x 10



For production lines; hard to reach areas; catering, manufacturing use.



Medium Detail Brush

Code	Size(mm)
B1606	225 x 21



Removing medium-large size particles; for toughest jobs. Heavy duty tool.



Stiff Short Handled Brush

Code	Size(mm)
D4	254 x 72



For production lines; catering, manufacturing use.



Medium Short Handled Brush

Code	Size(mm)
D7	254 x 68



Removing debris; worktops, conveyor belts, containers, machinery.



Stiff Long Handled Brush

Code	Size(mm)
D9	406 x 50



For production lines; hard to reach areas; catering, manufacturing use.



Stainless Steel Wire Scratch Brush

Code	Size(mm)
WS6S	279 x 35



Very abrasive brush for scouring burnt on and ingrained deposits.



Long Handled Brush High Heat Resistant 250°C

Code	Size(mm)
D9PEEK	406 x 50



For production lines; high heat resistant filament.





Dual Stiffness Double Wing Scrub

Code	Size(mm)
ST5	210 x 65



Removing medium-large size particles; for toughest jobs. Heavy duty tool.





Stiff Curved Back Scrub

Code	Size(mm)
ST7	198 x 70



Removing medium-large size particles; cleaning around corners, conveyor belts.





Stiff Grippy Scrub

Code	Size(mm)
ST8	152 x 60



Medium-large size particles; cleaning around corners; conveyor belts.






Stiff Round Scrub

Code	Size(mm)
ST9	100 x 115 Ø



For sinks, trays, cutting boards and worktops.





Medium Dish Wash Brush

Code	Size(mm)
DW1090	270 x 30



For cleaning utensils; catering use.





Stainless Steel Strip Brush

Code	Size(mm)
B1538	240 x 5



Ultra thin blade for delicate work or light areas. Good for cleaning fish after gutting.





Medium Utility Brush

Code	Size(mm)
B884	260 x 48



Production lines, conveyor belts, utensils; preparation areas.





Stiff Banister Brush

Code	Size(mm)
B867	322 x 35



For heavy particles, stubborn debris; production line; food preparation areas.






Soft Floor Brush

Code	Size(mm)
B1731	280 x 58



Ideal for lighter sweeping in dry or dusty areas.





Angled Floor Brush

Code	Size(mm)
B1907	300 x 45



Long, slim, light broom. Good for swift clearing of large areas.





Medium 23mm Floor Brush

Code	Size(mm)
B929	230 x 50



Slim, light broom. Good for swift clearing of large areas.





Very Stiff Deck Scrub

Code	Size(mm)
B928	230 x 50

For very heavy soiling; stairs, tight corners; small areas.

134° 38 79° -18° PP PBT



Stiff Deck Scrub

Code	Size(mm)
B1745	280 x 58

For heavy soiling; small-medium size areas; catering.

134° 41 79° -18° PP PBT



Very Stiff Deck Scrub

Code	Size(mm)
B759	305 x 75

For very heavy soiling; large surface areas.

134° 44 79° -18° PP PBT



Grout Scrub with Swivel Joint

Code	Size(mm)
ST11	240 X 34

Very stiff v-shaped trim allows effective and easy grout scrubbing.

134° 14-25 79° -18° PP PBT



Curved Wall Brush

Code	Size(mm)
B1056	275 x 70

Cleaning tanks, walls and vehicles.

134° 45-48 79° -18° PP PBT



Stiff Bulk Tank Brush

Code	Size(mm)
D79	216 x 59

Cleaning tanks, vats, gullies.

134° 41 79° -18° PP PBT



Medium Plastic Core Tube Brush

Code	Size(mm)
B1529/75	175 x 75 Ø

For cleaning pipes and drains. White core only.

134° 79° -18° PP PBT



Medium Plastic Core Tube Brush

Code	Size(mm)
B1529/115	175 x 115 Ø

For cleaning pipes and drains. White core only.

134° 79° -18° PP PBT



High/Low Brush

Code	Size(mm)
B1783	254 x 50

For cleaning corners, preparation areas, walls and floors.

134° 41 79° -18° PP PBT



Curved Twisted Wire Brush

Code	Size(mm)
T1072	520 x 120 Ø

Ideal for cleaning pipes.

134° 60 79° -18° PP SS PBT



Stiff Triangular Twisted Wire Brush

Code	Size(mm)
T1073	470 x 460

Ideal for cleaning pipes.


134° 60 79° -18° PP SS PBT





**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T831	375 x 13 Ø



Cleaning small tube, filling parts, hard to reach areas.






**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T832	375 x 25 Ø



Cleaning small tube, filling parts, hard to reach areas.






**Medium Twisted-In
Stainless Steel Wire Brush**

Code	Size(mm)
T834	400 x 50 Ø




Cleaning tube, filling parts, small bottles.






**Flexible Handled
Medium Twisted Wire Brush**

Code	Size(mm)
T942	3000 x 25 Ø



Cleaning intricate pipework in food production environments.






**Flexible Handled
Medium Twisted Wire Brush**

Code	Size(mm)
T945	3000 x 75 Ø



Cleaning intricate pipework in food production environments.






**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T961	115 x 12 Ø



Cleaning intricate pipework in food production environments.






**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T962	115 x 20 Ø



Cleaning intricate pipework in food production environments.






**Medium Twisted
Stiffness Brush**

Code	Size(mm)
T963	115 x 40 Ø



Cleaning intricate pipework in food production environments.






**Medium Twisted Wire
Head Brush**

Code	Size(mm)
T964	115 x 50 Ø



Cleaning intricate pipework in food production environments.






Flexible Twisted Wire Handle

Code	Size(mm)
T/HAN800	800

Suitable for T961, T962, T963, T964.






Flexible Twisted Wire Handle

Code	Size(mm)
T/HAN1500	1500

Suitable for T961, T962, T963, T964.






Flexible Twisted Wire Handle

Code	Size(mm)
T/HAN3000	3000

Suitable for T961, T962, T963, T964.







Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
B1802	300 x 50

For use on smooth surfaces.

134° 79° 18° PP TPR



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
PLSB40	400

For removing excess liquid in high risk areas.

134° 79° 18° PP TPR



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
PLSB50	500

For removing excess liquid in high risk areas.

134° 79° 18° PP TPR



Single Blade Ultra Hygienic Squeegee

Code	Size(mm)
PLSB60	600

For removing excess liquid in high risk areas.

134° 79° 18° PP TPR



Squeegee Cassette System

Code	Size(mm)
SQCAS4	400

For removing excess liquid in high risk areas.

134° 79° 40° 18° PP



Squeegee Cassette System

Code	Size(mm)
SQCAS6	600

For removing excess liquid in high risk areas.

134° 79° 40° 18° PP



Stainless Steel Blade & Aluminium Handle

Code	Size(mm)
MSC1	200 x 1300

For cleaning pipes and drains. White core only.

134° 79° 18° PP SS AL





① Lightweight Anodised Aluminium Handle

Code	Size(mm)	Colour
ALH5	1270 x 25 Ø	
Polypropylene grip.		25mm

② Anodised Aluminium Handle & Polypropylene Sleeve

Code	Size(mm)	Colour
ALH8	1535 x 25 Ø	
Polypropylene sleeve.		25mm

③ 700mm Aluminium Handle with Polypropylene Grip

Code	Size(mm)	Colour
ALH15	700 x 25 Ø	
Polypropylene grip.		25mm

④ 340mm Aluminium Handle with Polypropylene Grip

Code	Size(mm)	Colour
ALH30	340 x 25 Ø	
Polypropylene grip		25mm

⑤ Aluminium Telescopic Handle

Code	Size(mm)	Colour
HAN1352	1300 - 4000 x 21.5 Ø	
Complete with swivel and taper connector.		21.5mm

⑥ Plastic Angle Adaptor Connector

Code	Size(mm)	Colour
AH/CON	140 x 40	
Enables 100° angle for the ALH handle.		25mm





Stainless Steel Hand Scraper

Code	Size(mm)
MSC3	225 x 75

■
■
■
■
■

Removing stubborn debris.

134°
79°
-18°
PP
SS



Stainless Steel Hand Scraper

Code	Size(mm)
MSC3/38	230 x 38

■
■
■
■
■

Removing stubborn debris.

134°
79°
-18°
PP
SS



Plastic Hand Scraper

Code	Size(mm)
PSC1	205 x 76

■
■
■
■
■

Removing stubborn debris.

134°
79°
-18°
PP



Plastic Hand Scraper

Code	Size(mm)
PSC2	225 x 110

■
■
■
■
■

Removing stubborn debris.

134°
79°
-18°
PP



Heat Resistant Plastic Hand Scraper

Code	Size(mm)
PSC5	225 x 110

■

Removing stubborn debris on hot surfaces up to 240°C.

134°
240°
-18°
PA



Flexible Plastic Scraper

Code	Size(mm)
FLPSC3	90 x 200

■
■
■
■
■

Radial design with convex details for cleaning bowls and tray lids.

134°
79°
-18°
PP



Flexible Stainless Steel Scraper

Code	Size(mm)
MSC22	125 x 100

■
■
■
■
■

Removing stubborn debris with highly flexible scraper.

134°
79°
-18°
PET
SS



Plastic Dustpan

Code	Size(mm)
DP1	300 x 203

■
■
■
■
■

For use in small areas.

PP



Open Plastic Dustpan

Code	Size(mm)
DP13	325 x 315

■
■
■
■
■

Removing debris; manufacturing areas.

134°
79°
-18°
PP



Dustpan Set

Complete set of long handled plastic dustpan and broom. Patent pending self opening and closing lid conceals dirt and debris.



Hygienic Lobby Dustpan with Medium Angle Broom

Code	Size(mm)
DP7SET	260 x300 x 190



For cleaning small areas; manufacturing lines, restaurants.



Lightweight Lobby Dustpan with Soft Brush Set

Code	Size(mm)
DP10SET	900 x 280



For cleaning small areas; manufacturing lines, restaurants.



Seamless Hand Scoop

Code	Size(mm)
SCOOP1	60 x 110 x 145



Moving ingredients; food preparation areas.



Seamless Hand Scoop

Code	Size(mm)
SCOOP2	90 x 170 x 260



Moving ingredients; food preparation areas.



Seamless Hand Scoop

Code	Size(mm)
SCOOP3	60 x 110 x 145



Moving ingredients; food preparation areas.



Seamless Hand Scoop

Code	Size(mm)
SCOOP4	235 x 76 x 152



Moving ingredients; food preparation areas.



Polyester Paddle With Stainless Steel Handle

Code	Size(mm)
PADL3	1520 x 155



The blade has a chisel edge and can withstand temperatures up to 260°C



One Piece Polypropylene Paddle

Code	Size(mm)
PADL10	1200 x 160



Mixing ingredients in cooking vats; food preparation areas.



One Piece Polypropylene Paddle with Holes

Code	Size(mm)
PADL11	1200 x 160



Mixing ingredients in cooking vats; food preparation areas.



D-Grip Shovel

Code	Size(mm)
PSH13	320 x 360



Moving ingredients; food preparation areas.



D-Grip Shovel

Code	Size(mm)
PSH6	330 x 310



Moving ingredients; food preparation areas.





Automatic Shoe Cover Dispenser

Dispenses shoe cover automatically over footwear when light pressure is applied to base, resulting in quick, hands-free application. Covers fit up to size UK 13/EU 48.5.



Shoe Cover Dispenser Unit

Code	Size(mm)
AD1	130 x 210 x 410

Applying shoe covers before entering food production areas. (with 110 shoe covers)

PP PA ABS



Pack of 100 Replacement Shoe Covers

Code	Size(mm)
ADR3	-

Pack of 100 replacement slip resistant shoe covers.

PP



Overmoulded Hanging System

Code	Size(mm)
WLBR1	206 x 75

Stowing cleaning tools.

134° 79° 18° PP TRP



Aluminium Hanging Rail Set

Code	Size(mm)
HD6	515 x 55

Stowing cleaning tools. 5 x HOLD1

134° 79° 18° ABS AL TPR



12L Ultra Hygienic Bucket

Code	Size(mm)
MBK15	290 x 308 Ø

Moving ingredients, cleaning chemicals.

134° 79° 18° PP



Lid for the 12L Ultra Hygienic Bucket

Code	Size(mm)
MBK15/LID	15 x 310 Ø

Lid for MBK15

134° 79° 18° PP



Cassette Refill

Code	Size(mm)
CAS4	400

Replacement cassette for SQCAS4

134° 79° 18° PP



Cassette Refill

Code	Size(mm)
CAS6	600

Replacement cassette for SQCAS6

134° 79° 18° PP



Medium Plastic Hanger

Code	Size(mm)
HOLD1	72 x 35 x 77

This hanger will fit product 20-30 mm.

134° 79° 18° PP





Bio Mop

Code	Size(mm)
MOP9/200	-

■
■
■
■

Suitable with ALH handles.



 200g
 



12L Polypropylene Mop Bucket

Code	Size(mm)
MBK7	285 x 370

■
■
■
■

Carrying cleaning solution for mopping.







Floor Pad Grippers

Code	Size(mm)
5229	230 x 95

■

This is ideal for use with floor pads.





Extreme Abrasion Floor Pad

Code	Size(mm)
5222BK	114 x 22

■

For use with pad grippers 5229





Low Abrasion Floor Pad

Code	Size(mm)
5222W	114 X 22

■

For use with pad grippers 5229





Dust Mop Frame

Code	Size(mm)
5361/60	570 X 90

■

Ideal for large corridors, schools and halls. Fit for 5162/60 sweeper head.





615mm Cotton Sweeper Head

Code	Size(mm)
5162/60	615 x 90

■

A single cotton sweeper head to fit 5361/60. Fully launderable.





Microfiber Sweeper Head

Code	Size(mm)
MFP60	600 X 90

■

Excellent quality microfiber head for use with 5361/60





Expanding Super Sponge

Code	Size(mm)
MOG614	210 X 115

■

Excellent absorbency. Vacuum packed for optimum storage efficiency.





33L Mop Bucket Set with Side Press Wringer

Code	Size(mm)
T/MB5226	515 x 406 x 927



Durable mop bucket set. Ideal for use in manufacturing facilities.



Quick Connect Extension Handle

Code	Size(mm)
T/HAN6412	1220-1830 x 51 Ø

Telescopic handle for T/FAM6421, T/FAM6422



460mm Quick Connect Frames

Code	Size(mm)
T/FAM6421	460 x 89 x 38

460mm light weight aluminium frame



610mm Quick Connect Frames

Code	Size(mm)
T/FAM6422	612 x 89 x 38

610mm light weight aluminium frame



460mm Microfiber Damp Mop

Code	Size(mm)
T/DM6502	470 x 140 X 13

Superfine fiber, use with small amount of water and chemical.



460mm Microfiber Dust Mop

Code	Size(mm)
T/DM6471	470 x 140 X 13

Superfine fiber for removing dusts.



610mm Microfiber Dust Mop

Code	Size(mm)
T/DM6472	622 x 140 X 13

Superfine fiber for removing dusts.



PU Long Apron

Code	Size(mm)
PU/LA-S	S 90 x 125
PU/LA-M	M 90 x 135
PU/LA-L	L 90 x 145




- Light weight
- Flexible easy to move
- Easy cleaning
- Dry faster
- Hygienic
- Durable

PU Short Apron

Code	Size(mm)
PU/SA-FS	Free Size 60 x 100




- Light weight
- Flexible easy to move
- Easy cleaning
- Dry faster
- Hygienic
- Durable



BG 338



BG 32 (mini)



BG 366



BG 368

Product Code	BG 338 Digital Folding Probe Thermometer	BG 32 (mini) Infrared Thermometer	BG 366 Digital Pocket Thermometer	BG 368 Digital Pocket Thermometer
Function	Probe (110mm)	Infrared Scan	Probe (125mm)	Probe (70mm)
Temperature Range	- 50 to 280°C	- 45 to 320°C	- 40 to 200°C	- 40 to 200°C
Accuracy	+/- 1°C (-20 to 150°C), otherwise +/- 2°C	+/- 2% of reading from 0-320°C otherwise +/- 4°C	+/- 1°C (-20 to 100°C), otherwise +/- 2°C	+/- 1°C (-20 to 100°C), otherwise +/- 2°C
Temperature Resolution	0.1°C	0.1°C	0.1°C	0.1°C
Operation Temperature	-20 to 50°C	0 to 50°C	-20 to 50°C	-20 to 50°C
Emissivity	-	Fixed at 0.95	N/A	N/A
Distance Spot Ratio	-	12 : 1	N/A	N/A
Auto Power Off	yes	yes	Yes	Yes
Waterproof Rating	IP65	N/A	IP65	IP65
Battery Type	Button Cell CR2032 x 1	9V battery (NEDA1604) x 1	1.5V Button Cell (LR44) x 1	1.5V Button Cell (LR44) x 1
Dimension (mm)	152 x 36 x 15	134 x 88.5 x 36	20 x 15 x 206	20 x 15 x 152
Weight (g)	65	145	30	25
CAL	Traceable Calibration Certificate with Data			



DT 29004



DT 11048



DT 11050



DT 12214





DT 11083

Product Code	DT 29004 Freezer/Refrigerator Thermometer	DT 11048 Digital Lollipop Thermometer	DT 11050 Waterproof Lollipop Thermometer	DT 12214 Waterproof Dishwasher Thermometer	DT 11083 Jumbo Display Auto-Cal Anti-Microbial Needle Probe Thermometer
Function	Dial	Probe	Probe	Probe with Dishwashing Kit	Probe
Temperature Range	- 30 to 30°C	-50 to 200°C	-40 to 155°C		-40 to 155°C
Accuracy	+/- 1°C	+/- 0.5°C (-20 to 150°C), otherwise +/- 1%	+/- 0.5°C (-10 to 90°C), otherwise +/- 1%		+/- 0.5°C (-10 to 90°C), otherwise +/- 1%
Temperature Resolution	2°C	0.1°C	0.1°C		0.1°C
Operation Temperature	-30 to 30°C	-20 to 50°C	-20 to 50°C	-20 to 155°C (with dishwashing kit)	-20 to 50°C
Auto Power Off	yes	yes	yes		yes
Waterproof Rating	N/A	IP67	IP67		IP56
Battery Type	N/A	1.5V Button Cell (LR44) x 1	1.5V Button Cell (LR44) x 1		1.5V Button Cell (LR44) x 1
Dimension (mm)	50 diameter	44 x 19 x 274 *Probe:200 mm	42.2 x 18 x 165.2 (with dishwashing kit : 68 x 104 x 165.2)		20 x 15 x 175
Weight (g)	17	35.4	38	71	38
CAL	Traceable Calibration Certificate with Data			Traceable Calibration Certificate with Data (+Auto calibration feature+)	

DT 13309 - Jumbo Display Thermo-Hygrometer		
Function	Internal Sensor	External Sensor
Temperature Range	0 to 50°C	-50 to 70°C
Humidity Range	20 to 90%	N/A
Accuracy	+/- 1°C from -40 - 70°C	
	+/- 5% R.H. from 35 - 85% R.H. at 25°C	N/A
Temperature Resolution	0.1°C, 1% R.H.	
Operation Temperature	0 to 50°C	
Sensor	Temperature : Thermistor, Humidity : Electronic capacitance polymer film	
Battery Type	1.5V (AAA size) x 2	
Dimension (mm)	98 x 110 x 22	
Weight (g)	166	
CAL	Traceable Calibration Certificate with Data	



DT 20908 - Flash Link - USB Data Logger	
Function	Internal Sensor
Data Capacity	3823 data points (Data download time 2 seconds)
Temperature Range	-40 to 65°C
Accuracy	+/- 0.5°C from -10 - 25°C
	otherwise +/- 1°C
Temperature Resolution	0.1°C
Operation Temperature	-20 to 50°C, 0 - 95% R.H.
Waterproof Rating	IP64 with silicon cap on
Battery Type	3.6V (CR2032) x 1
Dimension (mm)	40 x 81 x 15
Weight (g)	42
Certification	CE Mark, NIST traceable, RoHS Compliant
Programing	Require Flash PDF Program Manager software



#	Time	F (C)	#	Time	F (C)
1	25-Aug-16 9:30:38 AM	93.6 (34.7)	48	25-Aug-16 10:33:18 AM	89.4 (31.9)
2	25-Aug-16 9:31:59 AM	94.0 (34.4)	49	25-Aug-16 10:34:58 AM	89.7 (32.1)
3	25-Aug-16 9:33:18 AM	94.3 (34.6)	50	25-Aug-16 10:36:58 AM	89.7 (32.1)
4	25-Aug-16 9:34:38 AM	94.9 (34.9)	51	25-Aug-16 10:37:18 AM	89.7 (32.1)
5	25-Aug-16 9:35:58 AM	95.6 (35.3)	52	25-Aug-16 10:38:58 AM	89.6 (32.0)
6	25-Aug-16 9:37:18 AM	97.4 (35.8)	53	25-Aug-16 10:39:58 AM	89.7 (32.1)
7	25-Aug-16 9:38:38 AM	97.6 (35.9)	54	25-Aug-16 10:41:18 AM	89.9 (32.2)
8	25-Aug-16 9:39:58 AM	97.6 (35.9)	55	25-Aug-16 10:42:58 AM	89.7 (32.1)
9	25-Aug-16 9:41:18 AM	97.6 (35.9)	56	25-Aug-16 10:43:58 AM	89.7 (32.1)
10	25-Aug-16 9:42:38 AM	97.4 (35.8)	57	25-Aug-16 10:45:18 AM	89.9 (32.2)
11	25-Aug-16 9:43:58 AM	97.4 (35.8)	58	25-Aug-16 10:46:58 AM	89.7 (32.1)
12	25-Aug-16 9:45:18 AM	97.4 (35.8)	59	25-Aug-16 10:47:58 AM	89.9 (32.2)
13	25-Aug-16 9:46:38 AM	97.4 (35.8)	60	25-Aug-16 10:49:18 AM	90.3 (32.4)
14	25-Aug-16 9:47:58 AM	97.4 (35.8)	61	25-Aug-16 10:50:38 AM	90.1 (32.3)
15	25-Aug-16 9:49:18 AM	97.4 (35.8)	62	25-Aug-16 10:51:58 AM	89.9 (32.2)
16	25-Aug-16 9:50:38 AM	97.4 (35.8)	63	25-Aug-16 10:53:18 AM	90.1 (32.3)
17	25-Aug-16 9:51:58 AM	97.4 (35.8)	64	25-Aug-16 10:54:38 AM	89.9 (32.2)
18	25-Aug-16 9:53:18 AM	97.6 (35.8)	65	25-Aug-16 10:55:58 AM	90.3 (32.4)
19	25-Aug-16 9:54:38 AM	97.6 (35.8)	66	25-Aug-16 10:57:18 AM	90.3 (32.4)
20	25-Aug-16 9:55:58 AM	97.6 (35.8)	67	25-Aug-16 10:58:38 AM	90.3 (32.4)



DT 50013



DT 50014

Product Code	DT 50013 Quat Ammonium Test Paper	DT 50014 Chlorine Test Paper
Reference Chart	0, 100, 200, 300, 400 (ppm)	10 - 50 - 100 - 200 (ppm)
Package	3 rolls, 1 plastic dispenser, 1 colour chart	6 rolls, 1 plastic dispenser, 1 colour chart
Size of Roll (mm)	4 x 4.6	4 x 4.6



DT 50012

Product Code	DT 50012 pH Plastic Indicator Strip
Reference Chart	0.0 to 6.0 pH range, subdivision 0.5 pH unit
Package	300 test strips, 1 colour chart
Size of 1 strip (mm)	7 x 63

Alcohol Wipes	
Product Code	DT 50009
Colour	White
Material	Premium non-woven pad with 70% isopropyl alcohol
Dimension (mm)	wipe : 61 x 21
Packaging	200 Pcs/box
Minimum Order Quantity (MOQ)	3 boxes



DT 50009



WP-400

MN Gym Wipes		
Product Code	WP - 400	
Colour	Blue	
Material	High quality non-woven material with 60% Natures Ethyl alcohol	
Dimension (mm)	wipe : 250 x 150	bucket : 225 x 243 Ø
Packaging	400 wipes/bucket	
Minimum Order Quantity (MOQ)	3 buckets	





FCC Food Contact Clearance approval - tested to be used with direct food contact



Hazard Analysis Critical Control Points



Anti-Bacterial qualities reduce cross contamination risk and odor



J-Cloth



Lavette Super

CHICOPEE		
Product Code	J-Cloth	Lavette Super
Colour	Blue, Green, Yellow, Pink, White	
Material	High quality non-woven material	
Anti-Bacteria	n/a	yes
Cleaning Method	Hand wash only	Machine wash / Hand wash
Solvent Resistant (Detergent, Alcohol)	yes	yes
Dimension (mm)	510 x 360	510 x 360
Packaging	500 pcs/carton (10 packs/carton)	150 pcs/carton (6 packs/carton)
Minimum Order Quantity (MOQ)	1 carton	1 carton

**CHICOPEE product are fully certified to be safe to use in direct contact with food, FCC



Green-TEX Kitchen DM - 2505



Green-TEX Kitchen DM - 2506



Green-TEX Glass DM - 2559



Microfiber Cloth MFC - 210B

Microfibre Cloth				
Product Code	Green-TEX Kitchen ST - 2505	Green-TEX Kitchen ST - 2506	Green-TEX Glass ST - 2559	Microfiber Cloth MFC - 210B
Material	70% polyester, 30% polyamide			-
Size (mm)	380 x 380			400 x 360
Weight (g)	49			30
Colour	Light Blue	White	Light Blue	Light Blue
Washable	can be washed at 90°C and thumble-dried at 60°C without fabric softener		can be washed at 60°C and thumble-dried at 40°C without fabric softener	can be washed at 60°C
Minimum Order Quantity (MOQ)	10 Pcs			



Hand Soap H-1



Foaming Degreaser N-2



Neutral Detergent N-3

Product Code	Hand Soap (H-1)	Neutral Detergent (N-2)	Neutral Detergent (N-3)
Appearance/Odor	Clear green liquid with raw material odor, Fragrance free	Clear blue liquid with solvent odor	Transparent light yellow liquid with raw material odor, Fragrance free
pH Value	9.0 - 11.0 / 7.0 - 9.0 (sugar content at 30°C)	12.0 - 13.5 (10-fold diluted solution) / 13.0 < (undiluted solution)	6.0 - 8.0
Net Weight	5 kg	5 kg	5 kg
Dilution Rate	Ready to use	1 : 2000 (for kitchenware)	Follow the instructions depend on application



Foaming Degreaser G-1



Degreaser G-2



Sanipaster S(L)

Product Code	Foaming Degreaser (G-1)	Degreaser (G-2)	Sanipaster (S(L))
Appearance/Odor	Clear blue liquid with solvent odor	Clear ivory yellow liquid with raw material odor	Transparent raddish-brown liquid with raw material odor
pH Value	12.0 - 13.5 (10-fold diluted solution) / 13.0 < (undiluted solution)	12.0 - 14.0 (10-fold diluted solution) / 13.5 < (undiluted solution)	8.5 - 10.5
Net Weight	5 kg	5 kg	5 Kg
Dilution Rate	Ready to use	Ready to use	Follow the instructions depend on application



Alcohol Sanitizer S-1



Hand Sanitizer S-9



Towel Cleaner

Product Code	Alcohol Sanitizer (S-1)	Hand Sanitizer (S-9)	Towel Cleaner
Appearance/Odor	Transparent liquid with raw material odor	Clear Colorless / Alcohol odor	Transparent, Light brown
pH Value	7.0 - 8.0	3.0 - 4.0	12.0 - 14.0
Net Weight	3.8 L	3.8 L	5 L
Dilution Rate	Ready to use	Ready to use	1 : 30



GUD - 1000



UD - 9000



UD - 450



Product Code	Automatic Dispenser GUD - 1000	Automatic Dispenser UD - 9000	Automatic Dispenser UD - 450
Dimension (mm)	147 x 101 x 268	152 x 100 x 290	105 x 99 x 225
Power Source	(4) x D-cell alkaline batteries	(4) x C-cell alkaline batteries	(4) x C-cell alkaline batteries
Installation	Wall or table top	Wall	Wall
Colour	Grey	White	White
Volume (mL)	1000	1200	450
Material	ABS, PP	ABS, PP	ABS, PP



MD - 9000



GMD - 500F



GMD - 500A



BOT - 1 BOT - 2



Product Code	Manual Dispenser MD - 9000	Manual Dispenser GMD - 500F	Manual Dispenser GMD - 500A	Foam Soap Bottle BOT - 1	Disinfectant Spray Bottle BOT - 2
Dimension (mm)	152 x 100 x 290	122 x 102 x 224		100 x 90 x 235	
Power Source	n/a	n/a		n/a	
Installation	Wall	Wall		Table top	
Colour	White	White		White	
Volume (mL)	1200	500		1000	
Material	ABS, PP, POM	ABS, PP, POM		PP	



Product Code	Hand Washing Training Kit (HAND)
Set content	1 x Body 1 x Black light 1 x Soap solution for handwashing 1 x Hand wash checker lotion

Seasoning Powder

ผงปรุงรสสูตรกลมกล่อม

Mha-La Seasoning
ผงปรุงรสหม่าล่า

Prapika
ผงปรุงรสปาปริก้า

Tom Yum
ผงปรุงรสต้มยำ

Hot & Spicy
ผงปรุงรสฮอตแอนด์สไปซี่

Superzap
ผงปรุงรสซูเปอร์แซบ

BBQ
ผงปรุงรสบาร์บีคิว

Seafood
ผงปรุงรสทะเล

Lobster
ผงปรุงรสล็อบสเตอร์

Nori Seaweed
ผงปรุงรสโนริสาหร่าย

Cheese
ผงปรุงรสชีส

Sour Cream
ผงปรุงรสซาวครีมหัวหอม

Garlic & Pepper
ผงปรุงรสกระเทียมพริกไทย

Chicken
ผงปรุงรสไก่



@chicfoodthailand 083-839-2929, 02-811-9048

MARINATE POWDER

ผงหมักสูตรเข้มข้น

Garlic & Pepper Marinade Powder
ผงหมักกระเทียมพริกไทย

Bacon Marinade Powder
ผงหมักเบคอน

Hot & Spicy Marinade Powder
ผงหมักฮอตแอนด์สไปซี่

BBQ Marinade Powder
ผงหมักบาร์บีคิว

Chicken Marinade Powder
ผงหมักไก่

Teriyaki Marinade Powder
ผงหมักเทอริยากิ

Satay Marinade Powder
ผงหมักสะเต๊ะ




@chicfoodthailand 083-839-2929, 02-811-9048

SOUP POWDER

ผงซุปสูตรต้นตำรับ

Miso Soup Powder
ผงซุป์มิโซะ

Tonkutsu Soup Powder
ผงซุป์ทงคัตสึ

Shabu Shabu Soup Powder
ผงซุป์ชาบู

Black Shabu Soup Powder
ผงซุป์ชาบูน้ำดำ

Concentrated Black Shabu Soup
ผงซุป์ชาบูน้ำดำเข้มข้น

Shark Fin Soup Powder
ผงซุป์หูฉลาม

Abalone Soup Powder
ผงซุป์เป๋าฮื้อ

Mha-La Soup Powder
ผงซุป์หม่าล่า

Guay Jub Soup Powder
ผงซุป์กัวจูบ (น้ำขิง, น้ำใส)

Bak Kut The Soup Powder
ผงซุป์ปักกุดเต๋

Beef Soup Powder
ผงซุป์เนื้อ

Chinese Herbal Chicken Soup Powder
ผงซุป์ตุ๋นยาจีน






@chicfoodthailand 083-839-2929, 02-811-9048

SOUP POWDER

ผงซุปสูตรต้นตำรับ

Chicken Soup Powder
ผงซุป์ไก่

Boat Noodle Soup Powder
ผงซุป์ก๋วยเตี๋ยวเรือ

Tom Yum Soup Powder
ผงซุป์ต้มยำ

Plant Based Mha-La Soup Powder
ผงซุป์หม่าล่าแบบมังสวิรัติ

Plant Based Kimchi Soup Powder
ผงซุป์เพลนต์เค็มกิมจิ

Plant Based Tonkutsu Soup Powder
ผงซุป์เพลนต์เบสทงคัตสึ

Khao Soi Soup Powder
ผงซุป์ข้าวซอย


Soup Base Powder
ผงซุป์เบสดีดกใส

Vegetarian Soup Powder
ผงซุป์มังสวิรัติ

Plant Based Tom-Yum Soup Powder
ผงซุป์เพลนต์ต้มยำ

Plant Based Dashi Soup Powder
ผงซุป์เพลนต์ดาชิ

Plant Based Pho Beef Soup Powder
ผงซุป์เพลนต์ฟอเนื้อ



@chicfoodthailand 083-839-2929, 02-811-9048

Chemical Resistance Guide

Chemical	Concentration %	Nylon 6	Nylon 66	Polyester PBT	Polypropylene	PVC
Acetic Acid	100%	Poor	Poor	Fair	Fair	Do Not Use
Acetone	100%	Good	Good	Good	Good	Poor
Ammonia Liquid	-	Good	Good	Do Not Use	Good	Good
Aniline	100%	Poor	Poor	Good	Poor	Do Not Use
Benzene	100%	Good	Good	Good	Do Not Use	Poor
Bleaching Solution Dilute	-	Do Not Use	Do Not Use	Good	Good	Good
Caustic Potash	10%	Good	Good	Good	Good	Good
Caustic Potash	50%	Good	Good	Poor	Good	Good
Chlorine Water Saturated	-	Do Not Use	Poor	Do Not Use	Fair	Do Not Use
Chloroform	100%	Do Not Use	Do Not Use	Good	Do Not Use	Poor
Chromic Acid	10%	Poor	Poor	Good	Good	Poor
Citric Acid	10%	Poor	Poor	Good	Good	Fair
Detergent-Soaps	-	Good	Good	Good	Good	Good
Ethanol 96	96%	Fair	Good	Good	Good	Poor
Ethylacetate	100%	Good	Good	Good	Good	Poor
Formic Acid	98%	Do Not Use	Do Not Use	Do Not Use	Do Not Use	Fair
Fuel Oil	-	Good	Good	Good	Poor	Do Not Use
Glycerin	-	Good	Good	Good	Good	Good
Hydrochloric Acid	30%	Do Not Use	Do Not Use	Poor	Good	Good
Lactic Acid	20%	Poor	Poor	Good	Good	Fair
Methyl Alcohol	100%	Good	Good	Good	Good	Do Not Use
Mineral Oil	-	Good	Good	Good	Good	Good
Nitric Acid	10%	Do Not Use	Do Not Use	Good	Good	Fair
Nitric Acid	50%	Do Not Use	Do Not Use	Good	Poor	Fair
Oleic Acid	100%	Good	Good	Good	Good	Fair
Oxalic Acid	10%	Do Not Use	Do Not Use	Good	Poor	Fair
Petrol	-	Good	Good	Good	Do Not Use	Good
Phosphoric Acid	85%	Do Not Use	Do Not Use	Good	Good	Good
Sea Water	-	Good	Good	Good	Good	Good
Sodium Chloride (Salt)	-	Good	Good	Good	Good	Good
Sodium Hydroxide 1	10%	Good	Good	Do Not Use	Good	Good
Sodium Hydroxide	50%	Good	Good	Do Not Use	Good	Good
Sodium Hypochloride	10%	Do Not Use	Do Not Use	Good	Good	Good
Stearic Acid	100%	Poor	Poor	Good	Good	Good
Sulphuric Acid	10%	Do Not Use	Do Not Use	Good	Good	Good
Sulphuric Acid	100%	Do Not Use	Do Not Use	Do Not Use	Do Not Use	Do Not Use
Tetrachloroethylene	-	Good	Do Not Use	Do Not Use	Do Not Use	Poor
Toluene	100%	Good	Good	Good	Do Not Use	Do Not Use
Trichloroethylene	-	Good	Good	Do Not Use	Do Not Use	Do Not Use
Turpentine	100%	Good	Good	Good	Do Not Use	Good
Vaseline	-	Good	Good	Good	Good	Good
Vegetable Oil	-	Good	Good	Good	Good	Good

* The above information is given on the assumption that the temperature of the chemical does not exceed 20°C.

** The above table act as a guide for using the listed chemicals as stated. Tests should always be carried out when using chemical combinations or substance not listed. We are unable to accept responsibility in respect of factors, which are outside our knowledge or control and affect the use of products. No warranty is given or is to be implied with respect to such information. Freedom under patents, copyrights and registered designs cannot be assumed.

Index of Products

ANTI-MICROBIAL		
AMB770	Stiff Deck Scrub	4
AMB866	Soft Banister Brush	4
AMD4	Stiff Short Handle Brush	4
AMB758	Medium Sweeping Broom	4
AMB867	Stiff Banister Brush	4
AMNA4	Stiff Nail Brush	4
AMPLH3	Reinforce Polypropylene Handle	4
AMPLSB60	Ultra-Hygienic Squeegee	4
AMSCOOP4	Plastic Hand Scoop	4
AMST5	Dual Stiffness Double Wing Scrub	4
AMWLB1	Wall Bracket System	4
TOTAL MDX		
B866RESMDX	Soft Banister Brush	5
D4RESMDX	Stiff Short Handled Brush	5
D9RESMDX	Stiff Long Handled Brush	5
NA4RESMDX	Stiff Nail Brush	5
PSH7MDX	Soft Grip Hand Shovel	5
RESIN-SET DRS		
B1423RES	Medium Guarded Machine Brush	6
B770RES	Stiff Deck Scrub	6
B849RES	Medium Flat Sweeping Broom	6
GL11	Medium Glazing Brush	6
GL31	Wide Glazing Brush	6
D4RES	Stiff Short Handled Brush	6
D9RES	Stiff Long Handled Brush	6
ST5RES	Dual Stiffness Double Wing Scrub	6
ST7RES	Stiff Curved Back Scrub	6
ST9RES	Stiff Round Scrub	6
B867RES	Stiff Banister Brush	6
B868RES	Extra Soft Banister Brush	6
PROFESSIONAL		
B1240	Stainless Steel Niche Brush	7
B1241	Medium Niche Brush	7
B1606	Medium Detail Brush	7
D4	Stiff Short Handled Brush	7
D7	Medium Short Handled Brush	7
D9	Stiff Long Handled Brush	7
D9PEEK	Long Handled Brush HHR 250°C	7
WS6S	Stainless Steel Wire Scratch Brush	7
ST5	Dual Stiffness Double Wing Scrub	8
ST7	Stiff Curved Back Scrub	8
ST8	Stiff Grippy Scrub	8
ST9	Stiff Round Scrub	8
DW1090	Medium Dish Wash Brush	8
B1538	Stainless Steel Strip Brush	8
B884	Medium Utility Brush	8
B867	Stiff Banister Brush	8
B1731	Soft Flat Sweeping Broom	8
B1907	Angled Floor Brush	8
B929	Medium 23mm Floor Brush	8
B928	Very Stiff Deck Scrub	9
B1745	Stiff Deck Scrub	9
B759	Very Stiff Deck Scrub	9
ST11	Grout Scrub with Swivel Joint	9
B1056	Curved Wall Brush	9
D79	Stiff Bulk Tank Brush	9

PROFESSIONAL		
B1529/75	Medium Plastic Core Tube Brush	9
B1529/115	Medium Plastic Core Tube Brush	9
B1783	High/Low Brush	9
T1072	Curved Twisted Wire Brush	9
T1073	Stiff Triangular Twisted Wire Brush	9
T831	Medium Twisted-In Stainless Steel Wire Brush	10
T832	Medium Twisted-In Stainless Steel Wire Brush	10
T834	Medium Twisted-In Stainless Steel Wire Brush	10
T942	Flexible Handled Medium Twisted Brush	10
T945	Flexible Handled Medium Twisted Brush	10
T961	Medium Twisted Wire Head Brush	10
T962	Medium Twisted Wire Head Brush	10
T963	Medium Twisted Wire Head Brush	10
T964	Medium Twisted Wire Head Brush	10
T/HAN800	Flexible Twisted Wire Handle	10
T/HAN1500	Flexible Twisted Wire Handle	10
T/HAN3000	Flexible Twisted Wire Handle	10
B1802	Single Blade Ultra Hygienic Squeegee	11
PLSB40	Single Blade Squeegee, 400mm	11
PLSB50	Single Blade Squeegee, 500mm	11
PLSB60	Single Blade Squeegee, 600mm	11
SQCAS4	Squeegee Cassette System, 400mm	11
SQCAS6	Squeegee Cassette System, 600mm	11
MSC1	Stainless Steel Blade & Aluminium Handle	11
HYGIENE HANDLES		
ALH15	700mm Aluminium Handle with Polypropylene Grip	12
ALH30	340mm Aluminium Handle with Polypropylene Grip	12
ALH5	Lightweight Anodised Aluminium Handle	12
ALH8	Anodised Aluminium Handle & Polypropylene Sleeve	12
HAN1352	Aluminium Telescopic Handle	12
AH/CON	Plastic Angle Adaptor Connector	12
ACCESSORIES		
MSC3	Stainless Steel hand Scraper	13
MSC3/38	Stainless Steel Hand Scraper	13
PSC1	Plastic Hand Scraper	13
PSC2	Plastic Hand Scraper	13
PSC5	Heat Resistant Plastic Hand Scraper	13
FLPSC3	Flexible Plastic Scraper	13
MSC22	Flexible Stainless Steel Scraper	13
DP1	Plastic Dustpan	13
DP13	Open Plastic Dustpan	13
DP7SET	Hygienic Lobby Dustpan with Medium Angle Broom	14
DP10SET	Lightweight Lobby Dustpan with Soft Brush Set	14
SCOOP1	Seamless Hand Scoop	14
SCOOP2	Seamless Hand Scoop	14
SCOOP3	Seamless Hand Scoop	14
SCOOP4	Seamless Hand Scoop	14
PADL3	Polyester Paddle with Stainless Steel Handle	14

ACCESSORIES		
PAD10	One Piece Polypropylene Paddle	14
PAD11	One Piece Polypropylene Paddle with Holes	14
PSH13	D-GRIP Shovel	14
PSH6	D-GRIP Shovel	14
AD1	Shoe Cover Dispenser Unit	15
ADR3	Pack of 100 Replacement Slip Resistant Shoe Cover	15
WLBR1	Overmoulded Hanging System	15
HD6	Aluminium Hanging Rail Set	15
MBK15	12L Ultra Hygienic Bucket	15
MBK15/LID	Lid for 12L Ultra Hygienic Bucket	15
CAS4	Cassette Refill, 400mm	15
CAS6	Cassette Refill, 600mm	15
HOLD1	Medium Plastic Hanger	15
MOP SYSTEM / APRON		
MBK7	12L Polypropylene Mop Bucket	16
MOP9/200	Bio Mop	16
5229	Floor Pad Grippers	16
5222BK	Extreme Abrasion Floor Pad	16
5222W	Low Abrasion Floor Pad	16
5361/60	Dust Mop Frame	16
5162/60	615mm Cotton Sweeper Head	16
MFP60	Microfiber Sweeper Head	16
MOG614	Expanding Sugar Sponge	16
T/DM6471	460mm Microfiber Dust Mop	17
T/DM6472	610mm Microfiber Dust Mop	17
T/DM6502	460mm Microfiber Damp Mop	17
T/FAM6421	460mm Quick Connect Frames	17
T/FAM6422	610mm Quick Connect Frames	17
T/HAN6412	Quick Connect Extension Handle	17
T/MB5226	33L Mop Bucket Set with Side Press Wringer	17
PU/LA	PU Long Apron	17
PU/SH	PU Short Apron	17
MEASURING EQUIPMENTS		
BG338	Digital Folding Probe Thermometer	18
BG32 (mini)	Mini Infrared Thermometer	18
BG366	Digital Pocket Thermometer	18
BG368	Digital Pocket Thermometer	18
DT11050	Waterproof Lollipop Thermometer	18
DT11083	Jumbo Display Auto Cal Anti-Microbial Needle Probe Thermometer	18
DT11048	Digital Lollipop Thermometer	18
DT12214	Waterproof Dishwasher Thermometer	18
DT29004	Freezer/Refrigerator Thermometer	18
DT13309	Jumbo Display Thermo-Hygrometer	19
DT20908	Flash Link - USB Data Logger	19
OTHER PRODUCTS		
DT50009	Alcohol Wipes	20
DT50012	pH Plastic Indicator Strip	20
DT50013	Quat Ammonium Test Paper	20
DT50014	Chlorine Test Paper	20
WP-400	MN Gym Wipes	20
J-CLOTH	Chicopee J-Cloth	21
LAVETTE	Chicopee Lavette	21
ST-2505	Microfibre Cloth, Green-Tex Kitchen, Light Blue	21

OTHER PRODUCTS		
ST-2506	Microfibre Cloth, Green-Tex Kitchen, White	21
ST-2559	Microfibre Cloth, Green-Tex Glass, Light Blue	21
MFC-210B	Microfiber Cloth	21
H-1	Hand Soap H-1	22
N-2	Neutral Detergent N-2	22
N-3	Neutral Detergent N-3	22
S-1	Alcohol Sanitizer S-1	22

OTHER PRODUCTS		
G-1	Foaming Degreaser G-1	22
G-2	Degreaser G-2	22
S(L)	Sanipaster S(L)	22
S-9	Hand Sanitizer	22
Towel Cleaner	Towel Cleaner	22
SCRUB	Scrubin L	22
GUD-1000	Automatic Dispenser	23
UD-9000	Automatic Dispenser	23

OTHER PRODUCTS		
UD-450	Automatic Dispenser	23
MD-9000	Manual Dispenser	23
GMD-500F	Manual Dispenser	23
GMD-500A	Manual Dispenser	23
BOT-1	Foam Soap Bottle	23
BOT-2	Disinfectant Spray Bottle	23
HAND	Hand Washing Training Kit	23

Hygienic Shadow Boards



Benefits of Shadow Boards

- Compact, hygienic design
- Easy to clean
- Customisable items, size and design
- Easy to understand and recognisable



How to Order?

- Choose your items
- Complete enquiry form
- Artwork created and sent to you for approval
- Payment terms agreed
- Shadow boards created

Training Services

- Product Training
- Food Safety Training
- Food Safety Inspection
- GMP & HACCP Awareness



World of Food Safety Product and Service



Line : @foodservice



12/9 Phutthamonthon 5 Rd., Moo 12, Rai-Khing,
Sampran, Nakorn Pathom 73210 Thailand

T + 66 (0) 2 - 811 - 9045

F + 66 (0) 2 - 420 - 8829

M + 66 (0) 83 - 839 - 2929

E contact@fsns-thailand.com

W www.fsns-thailand.com