



Cleaning Your Tools

- Remove debris and foreign objects with a stiff brush
- Use a cleaning solution with a pH 5 or less.
- Rinse thoroughly with clean water
- If lime residue has formed on a tool, this can be removed by washing in a cleaning solution with a pH 5 or less
- Disinfect after washing with an approved disinfectant
- Remove disinfectant residue by rinsing with clean water or using an industrial dishwasher (82°C/180°F)
- Salmon® Hygiene Technology products can be sterilized by autoclaving at temperatures up to 134°C/275°F. Ensure tools have sufficiently cooled before using again
- Use a wall hanging system to hygienically air-dry the tool.


Storing Your Tools

- Store cleaning equipment away from working surfaces
- Install shadow boards in partitioned work areas
- Use a colour-coded hanging system to organise tools and avoid cross-contamination.



Replace Your Tools When...

- Filaments are entangled, creating bacterial growth hotspots
- Filaments are worn excessively or show discolouration
- Plastic moulds are scratched or badly marked
- Handles are broken or bent.



RESEARCH


+1 410 325 7000 | OFFICEUS@HILLBRUSH.COM | WWW.HILLBRUSHINC.COM



foodserviceandsolution

Creating a Safe Environment

- Identify partitioned work areas with appropriate signage
- Ensure cleaning equipment is organized safely
- Ensure tools and materials are FDA approved
- Use wall hanging systems to avoid cluttered floors
- Take care of spillages immediately.



Personal Protective Clothing (PPE)

- Use protective eyewear when dealing with harmful liquids
- Wear hairnets and/or beard snoods to limit bacterial migration
- Wear gloves and aprons to prevent direct skin contact
- Metal and/or x-ray detectable protection is encouraged where possible to eliminate risk of PPE contamination.



Dilution Guide

- Read product labelling and directions for use (if available)
- Test product in an inconspicuous area, away from hazards
- Dilute solutions carefully as high concentrations may cause damage to surfaces and irritate skin when contacted
- Over diluting a solution may reduce the effectiveness
- Do not combine chemical solutions as this can cause adverse reactions and will alter the dilution rate.

LEARN MORE...

We have a comprehensive range of educational material on our website, including chemical resistance guides for polyester and polypropylene.



Dilution Rate	1pt	2.11pt	1.25G	2.5G	3G
1:5	0.21pt	0.42pt	1L	2L	2.4L
1:10	0.1pt	0.21pt	1pt	1L	1.2L
1:20	0.05pt	0.1pt	0.5pt	1pt	1.27pt
1:30	0.03pt	0.07pt	0.35pt	0.7pt	0.84pt
1:40	0.025pt	0.05pt	0.26pt	0.53pt	0.63pt
1:50	0.02pt	0.04pt	0.21pt	0.42pt	0.5pt
1:80	0.012pt	0.025pt	0.13pt	0.25pt	0.3pt
1:100	0.010pt	0.02pt	0.1pt	0.21pt	0.25pt
1:150	–	–	0.07pt	0.14pt	0.16pt



RESEARCH

+1 410 325 7000 | OFFICEUS@HILLBRUSH.COM | WWW.HILLBRUSHINC.COM



foodserviceandsolution